




---

# Next Chapter of Hot Mill Automation

**New Interfaces for IPC based solution**

# Creating the future of metals



## Siemens VAI Metals Technologies

- More than 60 years of metallurgical, engineering and plant-building experience
- Strong emphasis on R&D and introduction of numerous innovations
- Worldwide sales organization and global engineering

## Mitsubishi-Hitachi Metals Machinery (MHMM)

- More than 2,200 plants installed worldwide with proven record of reliability and cost-effectiveness
- In-house manufacturing expertise
- Strong sales setup and engineering competence, particularly in growing Asian countries

## OWNERSHIP

51% Mitsubishi-Hitachi Metals Machinery Inc.<sup>1</sup>  
49% Siemens

## GLOBAL BUSINESS FOCUS


Supplier of advanced processes, technologies, plants, products and services for the iron, steel and nonferrous industries

## COMPREHENSIVE TECHNOLOGY AND PRODUCT PORTFOLIO


for totally optimized and integrated processes along the entire metals value chain

1) a Mitsubishi Heavy Industries consolidated group company with equity participation by Hitachi, Ltd. and IHI Corporation.

## Current solution + Interface



# Usage of iba-System's within Primetals



## Next Chapter of HM Automation with IPC 627D



### Solution Features:

- Software executable on S7 platform
- Graphical programming interface
- PROFINET communication link as well as PROFISAFE
- State of the art HMI interface
- Answers for modernization projects

### IPC Features:

- High end industrial PC
- Intel Xeon E3 processor
- Very high system availability and data security due to
  - Solid-state drive (SSD) with 240 GB
- Flexible control cabinet installation with high user friendliness and assured characteristics, such as 55 °C ambient temperature.

## Einsatzfelder der verschiedenen Schnittstellen

### Request-S7 über ibaBM-PN

Sehr Zeitkritisch  
Hohe Deterministik gefordert  
~ > 1 ms

z.B. Anstellungsregelung

### Request-S7-UDP


Etwas Zeitkritisch  
Geringe Deterministik gefordert  
~ > 10-20 ms

z.B. Work roll shifting

### S7-Xplorer

Nicht Zeitkritisch  
Keine Deterministik gefordert  
~ > 50 ms

z.B. Mediensteuerung



## ibaPDA Konnektivität im Vergleich

### *„TDC solution“*



#### SIMATIC TDC

Mit GDM:

Request-TDC über FOB-TDC(exp)

Ohne GDM:

Request-TDC über FOB-SD(exp)

#### SIMATIC S7-400 (punktuell)

S7-Analyzer

Request-S7 über PROFIBUS (ibaBM-DPM-S)



### *„S7 based solution“*



#### SIMATIC WinAC auf IPC-Plattform und SIMATIC S7-400 (punktuell)

Request-S7-UDP

über UDP (ibaPDA-Interface-S7-TCP/UDP,  
ab V6.34)


Request-S7

über PROFINET (ibaBM-PN, in Entwicklung)

S7-Xplorer

über TCP/IP





---

**THANK YOU ... see you on METEC 2015**